

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	("4317011"   "4326930"   "4400595"   "4461934"   "4499662"   "4532575"   "4620075"   "4633050"   "4714804"   "4771143"   "4801768"   "4847452"   "4870751"   "4876145"   "5193668"   "5397867"   "5467068"   "5561278"   "5655826"   "5734137").PN. OR ("6321441").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 07:42
L3	1	("20060029809").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 08:32
L4	0	(phone adj cover) with metal with skin	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:46
L5	3	(phone adj cover) with metal with (plastic resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:46
L6	18	(phone near5 cover) with metal with (plastic resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 10:48
L7	2	("4193848"   "6335906").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 10:54
L8	13	(phone near5 cover).ti. and (metal with (plastic resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 11:00
S1	2021	(automobile car truck).ab,ti, clm. and (metal and resin).ab, ti,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/29 12:16
S2	122	(automobile car truck).ab,ti, clm. and (metal and resin).ab, ti,clm. and trim	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/29 15:11
S3	82	(automobile car truck).ab,ti, clm. and (metal and resin).ab, ti,clm. and trim.ab,ti,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/29 15:11
S4	18	(automobile car truck).ab,ti, clm. and (metal and resin).ab, ti,clm. and (glass adj3 filled)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/29 12:17
S5	5	(automobile car truck).ab,ti, clm. and (metal and resin).ab, ti,clm. and trim and ((glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/29 13:04

S6	25	(automobile car truck) and (metal and resin).ab,ti,clm. and ((glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/29 13:05
S7	4	296/146.7,1.08,1.07.ccls. and ((metal aluminum) and (polyamide resin nylon (glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon))).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/30 13:20
S8	47	(296/146.7,1.08,1.07.ccls. and (metal aluminum) and (polyamide resin nylon (glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) not S7	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/30 13:51
S9	0	296/146.7,1.08,1.07.ccls. and aluminum and ((glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)) not (S7 S8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:30
S10	11	296/146.7,1.08,1.07.ccls. and ((glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)) not (S7 S8)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/30 13:54
S11	122	(automobile car truck).ab,ti,clm. and (metal and resin).ab,ti,clm. and trim	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S12	82	(automobile car truck).ab,ti,clm. and (metal and resin).ab,ti,clm. and trim.ab,ti,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S13	18	(automobile car truck).ab,ti,clm. and (metal and resin).ab,ti,clm. and (glass adj3 filled)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S14	5	(automobile car truck).ab,ti,clm. and (metal and resin).ab,ti,clm. and trim and ((glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S15	25	(automobile car truck) and (metal and resin).ab,ti,clm. and ((glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S16	4	296/146.7,1.08,1.07.ccls. and ((metal aluminum) and (polyamide resin nylon (glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon))).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34

S17	47	(296/146.7,1.08,1.07.ccls. and ((metal aluminum) and (polyamide resin nylon (glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) not S16	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S18	0	296/146.7,1.08,1.07.ccls. and aluminum and ((glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)) not (S16 S17)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S19	11	296/146.7,1.08,1.07.ccls. and ((glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)) not (S16 S17)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:34
S20	3146	((aluminum metal) and (("30%" "%" "wt%") with ((glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) not (S11 S12 S13 S14 S15 S16 S17 S18 S19)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 09:38
S21	937	((aluminum metal) and (polyamide resin nylon thermoplastic) and adhesive and (("30%" "%" "wt%") with ((glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) not (S11 S12 S13 S14 S15 S16 S17 S18 S19)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 13:13
S22	65	((aluminum metal) with (polyamide resin nylon thermoplastic) with adhesive) and (("30%" "%" "wt%") with ((glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) not (S11 S12 S13 S14 S15 S16 S17 S18 S19)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 11:31
S23	134	((aluminum metal) with (polyamide resin nylon thermoplastic) with adhesive) and (color colored pigment) and (transparent clear) and opaque and (automobile automotive car truck)) not (S11 S12 S13 S14 S15 S16 S17 S18 S19 S22)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 11:34

S24	26	(US-20010037607-\$ or US-20030087075-\$ or US-20040101668-\$ or US-20050074597-\$ or US-20050095375-\$ or US-20050035609-\$ or US-20030001410-\$ or US-20040094976-\$).did. or (US-4220681-\$ or US-4313985-\$ or US-4429020-\$ or US-5741446-\$ or US-5928727-\$ or US-5962073-\$ or US-6068424-\$ or US-6139088-\$ or US-6233875-\$ or US-6288144-\$ or US-6332731-\$ or US-6841107-\$ or US-6808224-\$ or US-6305129-\$ or US-5833889-\$).did. or (JP-06335941-\$ or JP-2002361795-\$ or JP-55072413-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2006/01/03 11:34
S25	4	(transparent clear) and opaque and S24	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 11:34
S26	21	("3118781"   "3916048"   "4101698"   "4115619"   "4188358"   "4211822"   "4215170"   "4403004"   "4407871"   "4431711"   "4503189"   "4713143"   "5174434"   "5198272"   "5284679"   "5290625"   "5320869"   "5384161"   "5464661"   "5468518").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 11:56
S27	12	((("4734230") or ("4923539") or ("5133912") or ("5411688") or ("5824251") or ("5919324") or ("5925847") or ("6391232") or ("6422640") or ("6447706") or ("6464917") or ("6479006")).PN.	USPAT	OR	OFF	2006/01/03 12:09
S28	8	S24 and hole\$.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 13:11
S29	7	S24 and (through adj hole\$.ti,ab,clm.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/03 13:11

S30	19	((aluminum metal) and (polyamide resin nylon thermoplastic) and adhesive and (through adj hole\$.ti,ab,clm.) and (("30%" "%" "wt %") with ((glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) not (S11 S12 S13 S14 S15 S16 S17 S18 S19)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 21:20
S31	90	(aluminum metal) and (polyamide resin nylon thermoplastic) and (through adj hole\$.ti,ab,clm.) and (automobile automotive car truck) and trim	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 21:18
S32	822	in-mold adj decorat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/19 21:16
S33	266	(aluminum metal) and (polyamide resin nylon thermoplastic) and S32	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 21:18
S34	2	((aluminum metal) and (polyamide resin nylon thermoplastic) and adhesive and (("30%" "%" "wt%") with ((glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) and S32	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/20 18:49
S35	2	"6824321".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/19 21:32
S36	16	("4500758"   "4818829"   "5374449"   "5666112"   "5669486"   "5797482"   "5815139"   "5871088"   "6035180"   "6061446"   "6148075"   "6369801"   "6373008"   "6402579"   "6512827"   "6750414").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/19 21:32
S37	4	"4460205".pn. "20020058764".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/20 13:05
S38	121	((aluminum metal) and (polyamide resin nylon thermoplastic) and (("30%" "%" "wt%" with ((glass adj fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) and trim	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/20 18:49

S39	81	(aluminum and (polyamide resin nylon thermoplastic) and ((("30%" " %" "wt%") with ((glass adj4 fiber) (glass adj4 filled) (glass adj4 nylon) (filled adj4 nylon)))) and trim	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/20 18:50
S40	4	grefenstein.inv. and knoll.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:34
S41	6	"4499662"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/18 15:40
S42	20	("4317011"   "4326930"   "4400595"   "4461934"   "4499662"   "4532575"   "4620075"   "4633050"   "4714804"   "4771143"   "4801768"   "4847452"   "4870751"   "4876145"   "5193668"   "5397867"   "5467068"   "5561278"   "5655826"   "5734137").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 15:44
S43	68	watch with feature with face	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/18 15:47
S44	38	(US-20040101668-\$ or US-20050074597-\$ or US-20060029809-\$ or US-20030001410-\$ or US-20030087075-\$ or US-20040094976-\$ or US-20050095375-\$ or US-20010037607-\$ or US-20050035609-\$ or US-20020177470-\$ or US-20020058764-\$ or US-20030087973-\$).did. or (US-6332731-\$ or US-5962073-\$ or US-6288144-\$ or US-6455138-\$ or US-RE28506-\$ or US-6013351-\$ or US-4220681-\$ or US-4313985-\$ or US-4429020-\$ or US-6068424-\$ or US-6808224-\$ or US-6305129-\$ or US-5833889-\$ or US-5741446-\$ or US-6139088-\$ or US-5928727-\$ or US-6233875-\$ or US-6841107-\$ or US-3895468-\$ or US-4603153-\$ or US-6321441-\$ or US-5220541-\$).did. or (WO-100382-\$).did. or (JP-55072413-\$ or JP-2002361795-\$ or JP-06335941-\$).did.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/01/18 16:58

S45	5	(hot with melt) and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/18 17:09
S46	114	(hot near3 melt) and (automobile near3 trim)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/18 17:09

3/ 3/ 2008 11:13:28 AM

C:\Documents and Settings\Austin\My Documents\EAST\Workspaces\10719631.wsp